

# FACILITY COMPLIANCE INSPECTION REPORT

# Division of Waste Management Solid Waste Section

<b>UNIT</b>	TYP	PE:						
Lined MSWLF		LCID	YW	Transfer	Compost	SLAS	X	COUNTY: Robeson
Closed MSWLF		HHW	White goods	Incin	T&P	FIRM		PERMIT NO.: SLAS 78-05
CDLF	I I '	Tire T&P / Collection	Tire Monofill	Industrial Landfill	DEMO	SDTF		FILE TYPE: COMPLIANCE

**Date of Site Inspection:** 3/11/2013 **Date of Last Inspection:** 11/08/2012

#### **FACILITY NAME AND ADDRESS:**

Davis Septage Disposal Service 4300 Norwick Road Fayetteville, NC 28314

**GPS COORDINATES**: N: 34.94533 W: -79.04235

#### **FACILITY CONTACT NAME AND PHONE NUMBER:**

Name: Hector Davis Telephone: (910) 323-1911

Email address: N/A

Fax: N/A

### **FACILITY CONTACT ADDRESS:**

N/A

#### **PARTICIPANTS**:

Connie Wylie

### **STATUS OF PERMIT**:

Active

#### **PURPOSE OF SITE VISIT:**

Site was not visited – log review

# **STATUS OF PAST NOTED VIOLATIONS:**

N/A

#### **OBSERVED VIOLATIONS**

.0838(a)(18) Approved nutrient management plans shall be followed. Permit Condition 2 This site shall be operated and maintained in accordance with the nutrient management plan. Permit Condition 7 Monthly septage applications shall not exceed the monthly relative application rates given in the approved nutrient management plan for the site. During a review of the land application site logs (which are submitted monthly) it was noted that the application rate for January on Field 2 was exceeded by approximately 8,700 gallons. Implement measures to monitor discharge rates during each month to ensure the application rates are not exceeded. Review the monthly application rates (low, medium, high) and permitted field acreage in the nutrient management plan and current permit.

#### FACILITY COMPLIANCE INSPECTION REPORT

# Division of Waste Management Solid Waste Section

Page 2 of 2

The item(s) listed above were observed by Section staff and require action on behalf of the facility in order to come into or maintain compliance with the Statutes, Rules, and/or other regulatory requirements applicable to this facility. Be advised that pursuant to N.C.G.S. 130A-22, an administrative penalty of up to \$15,000 per day may be assessed for each violation of the Solid Waste Laws, Regulations, Conditions of a Permit, or Order under Article 9 of Chapter 130A of the N.C. General Statutes. Further, the facility and/or all responsible parties may also be subject to enforcement actions including penalties, injunction from operation of a solid waste management facility or a solid waste collection service and any such further relief as may be necessary to achieve compliance with the North Carolina Solid Waste Management Act and Rules.

## **ADDITIONAL COMMENTS**

- 1. The site was not visited at this time.
- 2. Please work with Mr. Rick Morris (regional agronomist) in regards to any needed weed control, seeding or other corrective actions needed this spring as a result of the recent soil analysis or the current condition of the crop.

Please contact me if you have any questions or concerns regarding this inspection report.

Connie S. Wylie

Regional Representative

Can S. Wyle

Phone: (910) 433-3352

Sent on: Email Hand delivery US Mail X Certified No. [
--